# **ALTO 415**

Frequent contact | intermittent wear

#### Fine touch for light chemical protection

# SPECIFIC ADVANTAGES



#### Comfort

- Added comfort and absorption of prespiration, due to the cotton flock-lining
- Tactile sensitivity, due to the gloves reduced thickness



## **Productivity**

• Good grip, due to the non-slip embossing



• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



**TYPE B** 

EN388



1011X



EN ISO 374-1 TYPE B



0334

DEXTERITY CAT.3 EN 420:

5/5

EN ISO 374-5

## **INDUSTRIES**

- Automotive/mechanical industry
- Aeronautics industry
- Other industries

### **APPLICATIONS**

- Work with composite materials (resins)
- Spray-painting
- Industrial cleaning, maintenance

Edit 05/05/2021



# **ALTO 415**

Frequent contact | intermittent wear

# LEGENDS

EN388

**MECHANICAL HAZARDS** 



PERFORMANCE LEVELS (X = NOT TESTED)

1 0 1 1 X P P Impact protection (optional)

Cut resistance according to ISO 13997

Puncture resistance
Tear resistance

EN ISO 374-1 TYPE B

Abrasion resistance

#### **CHEMICAL RISKS**

Blade cut resistance

K: Sodium hydroxide 40% M: Nitric acid 65% T: Formaldehyde 37%



RADIOACTIVE CONTAMINATION



#### EN ISO 374-5 MICRO-ORGANISMS



Protection against bacteria and fungi

# PRODUCT DETAILS

Interior finish	Flocked
Exterior finish	Embossed texture
Material	Neoprene and natural latex
Cuff characteristic	Straight cuff
Colors of the gloves	Black
Length (cm)	32
Thickness (mm)	0.60
Size	6 7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% HR)	6.5E+12 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% HR)	6.6E+12 Ω

# LOGISTIC DETAILS

Packaging	1 pair/bag 10 pairs/bag 100 pairs/carton
	100 pairs/carton

#### **LEGISLATION**

- $\,$  This product is not classified hazardous according to the regulation (EC)  $\,$  n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/08/18/1643
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

