

KRYTECH 580

Low risk - ISO B

Cut, Grip and Skin Protection for oily environments





CUT PROTECTION

LEVEL B



4342B



CAT.3

EN407



X1XXXX

ISO 13997: 6 N GR ISO 18889

DEXTERITY

EN 420: 5/5

SPECIFIC ADVANTAGES

Durability

• Excellent abrasion resistance due to the nitrile coating



Productivity

• Grip and Proof coating ensures an excellent grip in oily environment. It also reduces muscle strain and boost productivity



Skin protection

- Free of harmful substances: STANDARD 100 by OEKO-TEX®, DMF Free
- Oilproof, it repels oil penetration and reduce dermatitis



Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Additionnal benefits

Available in vending machine packaging

INDUSTRIES

- Automotive/mechanical industry
- Mechanical industry
- Other industries
- Glass industry

APPLICATIONS

- Handling and sorting small, sharp parts
- Handling oily mechanical parts
- Handling sheet metal
- Machining parts using cutting oil
- Handling glass sheets
- Cutting and stamping metal
- Maintenance in wet environments (water, oil, greases, hydrocarbons)
- Maintenance in wet environments





KRYTECH 580

Low risk - ISO B


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)




EN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT



molten metal

Radiant heat resistant
Convective heat resistance
Contact heat resistance
Burning behaviour



PROTECTION FROM PESTICIDES

GR: Re-entry tasks

ISO 18889

PRODUCT DETAILS

Interior finish	Seamless textile support from HDPE fibres
Gauge	13
Exterior finish	Ventilated back
Material	Nitrile GRIP&PROOF coating
Cuff characteristic	Knitted Cuff
Colors of the gloves	Black Grey
Length (cm)	23-28
Size	6 7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% HR)	1.3E+10 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% HR)	2.1E+11 Ω

LOGISTIC DETAILS

Packaging	1 pair/bag
	12 pairs/bag
	48 pairs/carton

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/01/19/0175
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0075 | CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE

