



Cut protection

KRYTECH 584

Low risk - ISO B

A compromise between dexterity and protection



CUT PROTECTION
LEVEL B

EN388



4342B

ANSI CUT



CAT.CATEGORY 2



ISO 13997:

5.3 N

DEXTERITY

EN 420:
5/5

WARNING:
Cancer

SPECIFIC ADVANTAGES



Cut protection

- A long cuff for a better protection of the forearm



Comfort

- Excellent dexterity and optimized shape to reduce fatigue.



Durability

- Suitable for long-term wear : excellent abrasion resistance



Skin protection

- Contains traces of DMF in compliance with occupational exposure limits



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Washability

- Washable up to 5 times at 40°C without any alteration on performances* allowing to extend glove lifespan, reduce costs and waste.

INDUSTRIES

- Automotive/mechanical industry
- Paper industry

APPLICATIONS

- Assembly of thin metal sheets
- Automotive assembly
- Finishing work
- Handling and sorting small, sharp parts
- Handling untrimmed parts or sheet metal
- Precision assembly
- Handling cardboard and paper



Cut protection

KRYTECH 584

Low risk - ISO B


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)



ANSI CUT

CUT RESISTANCE

A2 ≥ 500 G



PRODUCT DETAILS

Interior finish	Seamless textile support from HDPE fibres
Gauge	13
Exterior finish	Ventilated back
Material	Polyurethane
Cuff characteristic	Knitted Cuff
Colour.s	White Grey
European sizes	6 7 8 9 10 11

LOGISTIC DETAILS

Packaging	1 pair/bag 12 pairs/bag 96 pairs/carton
-----------	---

LEGISLATION

- This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/02/19/0508 - EXT 01/02/19
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

