ALTO 265

Strong protection against aggressive concentrated detergents

CHEMICAL PROTECTION

TYPE B

EN ISO 374-1

EN388



TYPE KPS

CATEGORY 3

 ϵ

DEXTERITY

EN ISO 374-5

EN 420: 5/5

0334

SPECIFIC ADVANTAGES

Comfort

Cotton flock lining provides comfort and absorption of perspiration



Productivity

Good handling of slippery objects, due to the embossed texture



Skin protection

Good resistance to many diluted acids

INDUSTRIES

- Mechanical industry
- Chemical industry
- Aeronautics industry

APPLICATIONS

- Assembly of small, oil and grease free parts
- Minor maintenance Tasks
- Common handling Tasks
- Work with composite materials (resins)

ALTO 265

(LEGENDS)

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)

TESTEL

1 0-4 0-5 0-4 0-4 A-F P

Impact protection (optional)

Cut resistance according to ISO 13997

Puncture resistance Tear resistance

Blade cut resistance Abrasion resistance

EN ISO 374-1

374-1 CHEMICAL RISKS



K: Sodium hydroxide 40%

P: Hydrogen peroxide 30%

S: Hydrofluoric acid 40%

TYPE B

EN ISO 374-5



MICRO-ORGANISMS

Protection against bacteria and fungi

PRODUCT DETAILS

Interior finish	Flocked
Exterior finish	Embossed texture
Material	Natural latex
Cuff characteristic	Straight cuff
Colour.s	Black

LOGISTIC DETAILS

Packaging	1 pair/bag 100 pairs/carton

LEGISLATION

- This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council.
- This product does not contain any substances of very high concern according to the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/08/18/1640 EXT 01/08/18
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

Edit 13/11/2023