

## **FLUOTECH 344**

continous wear

### Comfort and flexibility for extended wear

## CHEMICAL PROTECTION TYPE A

EN388



3121X

EN407



EN ISO 374-1

EN ISO 374-5

DEXTERITY
EN 420:
2/5



TYPE A ACDEFGJLMN

**CAT.CATEGORY 3** 



0334

### SPECIFIC ADVANTAGES

#### Comfort

- Excellent comfort for long tasks, due to the cotton-knit interior
- Freedom of movement: good glove flexibility



• High mechanical resistance and long service life, due to textile support



• Silicone free to prevent traces, defects on metal sheet and glass prior to painting

#### **INDUSTRIES**

- Mechanical industry
- Chemical industry
- Other industries

### **APPLICATIONS**

- Emergency interventions on chemical accidents
- Petrochemical refining
- Printing
- Site pollution control
- Metal degreasing and etching
- Chemical treatments (solvents)
- Galvanoplasty
- Handling and transporting chemicals (solvents)
- Manufacturing paints and varnishes
- Resin and adhesive manufacturing

Edit 11/09/2023

### **FLUOTECH 344**

continous wear


### **LEGENDS**

# EN388

**MECHANICAL HAZARDS** 



PERFORMANCE LEVELS (X = NOT




FN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT



#### EN ISO 374-1

Limited flame spread



A: Methanol

- **CHEMICAL RISKS** C: Acetonitrile
- D: Dichloromethane
- E: Carbon Disulfide
- F: Toluene
- G: Diethylamine
- J: n-Heptane
- L: Sulphuric acid 96%
- M: Nitric acid 65%
- N: Acetic acid 99%

#### EN ISO 374-5

#### MICRO-ORGANISMS



Protection against bacteria and fungi

### PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Smooth
Material	Fluoroelastomer
Cuff characteristic	Feston Cuff
Colour.s	Black
Length (cm)	37
Thickness (mm)	1.6
European sizes	9 10
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	2.7E+10 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	4.3E+10 Ω

### LOGISTIC DETAILS

Packaging 1 pair/bag 1 pair/carton
------------------------------------

### **LEGISLATION**

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation no 1907/2006 of the European Parliament and of the Council (REACH).
- certificate or CE examination type certificate: 0075/014/162/02/19/0479 updated 01-11/10/2021
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France



