

CHEMZOIL NL339

Comfort and high-level chemical protection

SPECIFIC ADVANTAGES



Thermal protection

• Thermal insulation from the cotton-knit lining for handling hot liquids



Durability

• Excellent mechanical resistance and longer service life, due to the textile support and the thickness of the glove



Productivity

Pebbled embossing, for better grip on wet and slippery objects



Skin protection

 Superior chemical resistance against acids and alkalis, such as concentrated hydrofluoric acid, oils, and greases, due to its 100% neoprene multi-layer construction

EN388



EN407

CE

CAT.3

INDUSTRIES

- Mechanical industry
- Chemical industry

APPLICATIONS

- Surface treatment of metals (acids)
- Handling and transporting drums of chemical products
- Handling on alkylation units
- Hot, petrochemical product sampling
- Resin and adhesive manufacturing
- Site pollution control



CHEMZOIL NL339


LEGENDS

EN388

MECHANICAL HAZARDS




PERFORMANCE LEVELS (X = NOT



THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT



PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Pebbled
Material	Polychloroprene
Colour.s	Black
Length (cm)	36
Thickness (mm)	1.35
Size	8 9 10 11

LOGISTIC DETAILS

Packaging 6 pairs/carton

LEGISLATION

- This product is not classified as hazardous according to the directive 1999/45/EC of the European Parliament and of the Council.
- This product does not contain any substances of very high concern according to the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0072/014/162/10/01/0144
- Issued by the notified body nr: 0072I.F.T.H. Av. Guy de Collongue F-69134 **ECULLY CEDEX**

Edit 25/04/2023