



Cut protection

KRYTECH 832

Very high risk - ISO E



CUT PROTECTION
LEVEL E

EN388



4X43E

EN407



X1XXXX

CATEGORY 2



ISO 13997:

24.3 N

DEXTERITY

EN ISO 21420:
5/5

Good protection for handling heavy and sharp metal parts in dry and slightly wet environments

SPECIFIC ADVANTAGES



Thermal protection

- Excellent thermal insulation of the hand



Comfort

- Added comfort, due to the gloves anatomical shape and the flexibility of the material



Durability

- Long service life even when faced with untrimmed metal



Productivity

- Good grip for picking up parts safely in oily environments, due to external leather layer



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Washability

- Dry cleaning: Up to 5 times to extend glove lifespan, reduce costs and waste

INDUSTRIES

- Automotive/mechanical industry

APPLICATIONS

- Cutting strips (plasma etc.)
- Handling parts post-press
- Handling sheet metal
- Handling untrimmed parts or sheet metal
- Metal working





Cut protection

KRYTECH 832

Very high risk - ISO E

LEGENDS



PRODUCT DETAILS

Interior finish	Seamless textile support from superior strength fibres
Gauge	10
Exterior finish	Leather layer on palm with reinforced thumb / index
Cuff characteristic	Knitted Cuff
Colour.s	Grey
European sizes	8 9 10 11

LOGISTIC DETAILS

Packaging	1 pair/bag 12 pairs/box 72 pairs/carton
-----------	---

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/01/19/0135
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

Edit 31/05/2024