



Cut protection

KRYTECH 585

Moderate risk - ISO C



GRIP & PROOF
TECHNOLOGY

VIILTOSUOJA
TASO C



4X42C

CAT.CATEGORY 2



ISO 13997:

13 N

DEXTERITY

EN 420:
5/5



Enhanced safety, comfort and durability with Grip & Proof Technology

ERITYISIÄ ETUJA



Cut protection

- Optimal cut resistance



Comfort

- A seamless plaited glove and an optimized coating covering for a maximum comfort, dexterity and flexibility.



Durability

- Optimal durability that offers better productivity and optimizes your costs



Productivity

- Grip and Proof coating ensures an excellent grip in very oily environment . It also reduces muscle strain and boosts productivity



Washability

- Washable up to 3 times at 60°C without any alteration on performances* allowing to extend glove lifespan, reduce costs and waste.



Practical

- Cut level easy to identify thanks to the marking on the back of the glove.

TEOLLISUUDELLE

- Automotive/mechanical industry
- Food industry
- Construction Industry (Metalworkers/Locksmiths)
- Other industries
- Plastics industry
- Manufacturing

SOVELLUKSET

- Post-injection material removal
- Handling heavy parts with cut risk
- Cutting & stamping heavy metal sheets
- Maintenance and work in cold stores
- Handling and installing metal structures
- Maintenance in wet or cold environments
- Road works in cold conditions
- Finishing sharp parts
- Handling metal parts
- Handling parts post-press

Muokata 30/06/2023

MAPA SAS capital de 35.000.010 €
420, rue d'Estienne d'Orves
92705 Colombes Cedex France
RCS Nanterre 314 307 720

mapa-pro.com

MAPA
PROFESSIONAL



Cut protection

KRYTECH 585

Moderate risk - ISO C

LEGENDOJA

EN388	MECHANICAL HAZARDS
	PERFORMANCE LEVELS (X = NOT TESTED)
4 X 4 2 C	
0-4 0-5 0-4 0-4 A-F P	
	Impact protection (optional)
	Cut resistance according to ISO 13997
	Puncture resistance
	Tear resistance
	Blade cut resistance
	Abrasion resistance

TUOTTEEN YKSITYISKOHDAT

Interior finish	Seamless textile support from HDPE fibres
Gauge	15
Exterior finish	Ventilated back
Material	Nitrile GRIP&PROOF coating
Cuff characteristic	Knitted Cuff
Colour.s	Black Grey
European sizes	7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	2.7E+10 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	3.0E+11 Ω

LOGISTISET YKSITYISKOHDAT

Packaging	1 pair/bag 12 pairs/bag 48 pairs/carton
-----------	---

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/05/18/0907
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

* Testit on suoritettu käyttämättömillä käsineillä (ts. uusilla käsineillä), jotka poikkeavat todellisista käyttöolosuhteista.

Muokata 30/06/2023

MAPA SAS capital de 35.000.010 €
420, rue d'Estienne d'Orves
92705 Colombes Cedex France
RCS Nanterre 314 307 720

mapa-pro.com

MAPA
PROFESSIONAL