# **JERSETTE 301**

Frequent contact | continous wear

# Maximum comfort for long-term work in aggressive environments

# SPECIFIC ADVANTAGES



#### Comfort

• Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support



### Durability

Good tear-resistance



#### Skin protection

Good resistance to many diluted acids and bases



### (2) Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



### **INDUSTRIES**

- Local Authorities (Cleaning)
- Aeronautics industry
- Construction Industry (Masons / Plasterers)

### **APPLICATIONS**

- Handling household detergents
- Work with composite materials (resins)
- Preparing and pouring mortar and cement







EN ISO 374-1



KPT



X1XXXX

CAT.CATEGORY 3





# **JERSETTE 301**

Frequent contact | continous wear

# **LEGENDS**

EN388

**MECHANICAL HAZARDS** 

PERFORMANCE LEVELS (X = NOT


2 1 3 1 X 0-4 0-5 0-4 0-4 A-F Impact protection (optional) Cut resistance according to ISO Puncture resistance Tear resistance Blade cut resistance Abrasion resistance

FN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT



Radiant heat resistant Convective heat resistance Contact heat resistance Limited flame spread

EN ISO 374-1



CHEMICAL RISKS

K: Sodium hydroxide 40% P: Hydrogen peroxide 30%

T: Formaldehyde 37%

# PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Pebbled
Material	Natural latex
Cuff characteristic	Feston Cuff
Colour.s	Blue
Thickness (mm)	1.15
European sizes	5 6 7 8 9 10

# LOGISTIC DETAILS

Packaging	1 pair/bag 5 pairs/bag
	50 pairs/carton

### LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation no 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate CE type examination certificate: 0075/014/162/05/22/0905 EX 01/05/22
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

Edit 11/09/2023

