


ULTRANE 550

Unbeatable for fingertip precision

SPECIFIC ADVANTAGES

Comfort



 Added comfort, due to the seamless knit lining Absorption of perspiration ensured by the cellular structure of the polyurethane

🗑 Durability

• Suitable for long-term wear: excellent abrasion resistance

Skin protection

- Free of harmful substances: STANDARD 100 by OEKO-TEX®
- Contains traces of DMF in compliance with occupational exposure limits

Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting

Additional benefits

Available in vending machine packaging

INDUSTRIES

- Automotive/mechanical industry
- Electronics
- Cosmetics and Pharmaceutical industry

APPLICATIONS

- Fitting small screws and fasteners
- Intricate assembly
- Sorting small parts
- Electronic component assembly (displays, LEDs, etc.)
- High-frequency antennae riveting
- Microprocessor handling
- Cosmetics preparation
- Medicine manufacturing



EN388



4131X




EN 420: 5/5

Edit 11/09/2023



ULTRANE 550

(LEGENDS)



PRODUCT DETAILS

Interior finish	Seamless textile support
Gauge	13
Exterior finish	Ventilated back
Material	Polyurethane foam
Cuff characteristic	Knitted Cuff
Colour.s	White
European sizes	5 6 7 8 9 10
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	2.4Ε+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	7.4E+9 Ω

LOGISTIC DETAILS

Packaging	1 pair/bag
	10 pairs/bag
	100 pairs/carton

LEGISLATION

- $\,$ This product is not classified hazardous according to the regulation (EC) $\,$ n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/05/18/0965
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE



