



Cut protection

KRYTECH 840

High risk - ISO D

High protection for handling heavy or sharp objects in wet environments



CUT PROTECTION
LEVEL D

EN388



3X43D

EN407



X2XXXX

CAT.CATEGORY 2



ISO 13997:

19.8 N

DEXTERITY

EN 420:
5/5

SPECIFIC ADVANTAGES



Cut protection

- High cut protection for safety work



Thermal protection

- Good thermal insulation of the hand

Puncture protection

- Good puncture-resistance



Productivity

- Good grip for picking up parts safely, due to embossed texture



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

INDUSTRIES

- Local Authorities (Waste Collection and Processing)
- Construction Industry (Carpenters/Joiners)
- Glass industry
- Ceramic and plastics industry

APPLICATIONS

- Processing waste at a sorting center
- Cutting wood
- Installing steel structures
- Assembly
- Screwing
- Studwork
- Handling glass sheets
- Post-injection handling of hot plastic parts
- Handling of composite materials after heat processing



Cut protection

KRYTECH 840

High risk - ISO D

LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)

3 X 4 3 D

0-4 0-5 0-4 0-4 A-F P

Impact protection (optional)

Cut resistance according to ISO 13997

Puncture resistance

Tear resistance

Blade cut resistance

Abrasion resistance

EN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT TESTED)

X 2 X X X X

0-4 0-4 0-4 0-4 0-4 0-4

Resistance to large quantities of molten metal

Small splashes of molten metal

Radiant heat resistant

Convective heat resistance

Contact heat resistance

Limited flame spread

PRODUCT DETAILS

| | |
|---------------------|--|
| Interior finish | Seamless textile support from superior strength fibres |
| Gauge | 10 |
| Exterior finish | Embossed texture |
| Material | Natural latex |
| Cuff characteristic | Knitted Cuff |
| Colour.s | Grey Blue |
| European sizes | 7 8 9 10 |

LOGISTIC DETAILS

| | |
|-----------|---|
| Packaging | 1 pair/bag 12 pairs/box 72 pairs/carton |
|-----------|---|

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/01/19/0134 update 01
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

