



Thermal protection

# TEMPDEX 710

Temperature below 150°C | Dry environments

## High dexterity and thermal protection

### SPECIFIC ADVANTAGES



#### Comfort

- Thin, anatomically-shaped glove ensures dexterity



#### Durability

- Suitable for long-term wear : excellent abrasion resistance



#### Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

### INDUSTRIES

- Construction Industry (Heating engineers/Plumbers)
- Other industries
- Ceramic and plastics industry

### APPLICATIONS

- Handling of hot piping
- Handling of hot steel after welding
- Handling of moulds in the ceramic industry
- Maintaining pipes, heating equipment
- Handling of composite materials after heat processing



EN388



4111X

EN407



X1XXXX

DEXTERITY

EN 420:

5/5

CAT.CATEGORY 2







Thermal protection

# TEMPDEX 710

Temperature below 150°C | Dry environments

## LEGENDS



## PRODUCT DETAILS

Interior finish	Seamless textile support
Gauge	13
Exterior finish	Dots
Material	Nitrile sandy
Cuff characteristic	Knitted Cuff
Colour.s	Black Yellow
European sizes	7 9 11
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	4.0E+10 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	2.3E+12 Ω

## LOGISTIC DETAILS

Packaging	1 pair/bag 10 pairs/bag 50 pairs/carton
-----------	-----------------------------------------------

## LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/12/18/3062
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

