# **SOLO 990**

PVC | Powder-free

### The best value for precise movements

CHEMICAL PROTECTION **TYPE C** 

EN ISO 374-1



TYPE C

EN ISO 374-5



**VIRUS** 

CAT.CATEGORY 3



0334

**DEXTERITY** 

EN 420: 5/5



## SPECIFIC ADVANTAGES

### Comfort

Precision dexterity: reduced glove thickness



#### **Guaranteed quality**

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



#### ( Practical

- Easy to put on and take off
- Protection adapted to short duration usage

#### **INDUSTRIES**

- Automotive/mechanical industry
- Food industry

### **APPLICATIONS**

- Assembly of small parts
- Canning
- Food handling
- Food preparation
- Preparation and packaging
- Packaging



PVC | Powder-free

## **LEGENDS**

EN ISO 374-1

**CHEMICAL RISKS** 



TYPE C

EN ISO 374-5



MICRO-ORGANISMS

Protection against bacteria, fungi and



FOOD CONTACT

Commission Regulation (EU) n°10/2011 (plastic materials)

## PRODUCT DETAILS

Interior finish	Non powdered
Exterior finish	Smooth
Material	PVC
Cuff characteristic	Rolled Cuff
Colour.s	White Translucent
Length (cm)	24
Thickness (mm)	0.07
European sizes	6789
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.5E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	7.3E+8 Ω

## LOGISTIC DETAILS

Packaging	100 gloves/box 1000 gloves/carton
	1000 gloves/ earter

## LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation no 1907/2006 of the European Parliament and of the Council (REACH).
- certificate CE examination certificate: type or type 0075/014/162/08/18/1660
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE



