



Handling protection

ULTRANE 510

Optimal comfort, breathability and durability



SPECIFIC ADVANTAGES



Comfort

- Breathable coating to have better comfort in use
- Excellent dexterity due to the precise fit



Durability

- Durable for a long-wear



Skin protection

- Free of harmful substances: STANDARD 100 by OEKO-TEX®
- Free of harmful substances: DMF Free



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Washability

- Washable 1 time at 40°C without any alteration on performances*

INDUSTRIES

- Automotive/mechanical industry
- Other industries
- Plastics industry
- Manufacturing
- Industrial maintenance

APPLICATIONS

- Packaging
- Warehousing and receipt of goods
- Assembly of small parts
- Automotive assembly
- Fitting small screws and fasteners
- Mechanical maintenance
- Precision assembly
- Precision mechanical work
- Post-injection material removal

EN388



4131X

CAT.CATEGORY 2



DEXTERITY

EN 420:
5/5





Handling protection

ULTRANE 510


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)



FOOD CONTACT

Commission Regulation (EU) n°10/2011 (plastic materials)

PRODUCT DETAILS

Interior finish	Seamless textile support
Gauge	13
Exterior finish	Ventilated back
Material	Water-based polymer
Cuff characteristic	Knitted Cuff
Colour.s	Black Green
European sizes	6 7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.0E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	3.2E+11 Ω

LOGISTIC DETAILS

Packaging	1 pair/bag 12 pairs/bag 96 pairs/carton
-----------	---

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/01/19/0133
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

