



Thermal protection

TEMPCOOK 476

Temperature below 150°C | Wet environments



Hygienic combined with effective thermal protection; 100% fluid-proof

SPECIFIC ADVANTAGES



Thermal protection

- Thermal protection up to 250°C* (* from 150°C, the product can get stiffer and color change may happen, without degrading glove efficiency.)



Durability

- Resistance to oils, greases and principal detergent products



Food compliance

- The white/cream colour coding meets the catering industry clothing standards



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

INDUSTRIES

- Food industry
- Local Authorities (Catering Services)
- Catering industry
- Bakeries

APPLICATIONS

- Pre-cooking
- Removing hot dishes from dry or wet ovens
- Removing items from autoclaves and steam ovens
- Removing dishes from warming ovens
- Removing trays from ovens

CHEMICAL PROTECTION
TYPE A

CUT PROTECTION
LEVEL D

EN388



4443D

EN ISO 374-1



TYPE A
AFGJOT

EN ISO 374-5



EN 511:2006
(COLD)



111

EN407



X2XXXX

CAT.CATEGORY 3



0334

DEXTERITY

EN 420:
1/5





Thermal protection

TEMPCOOK 476

Temperature below 150°C | Wet environments

LEGENDS

EN388 MECHANICAL HAZARDS

PERFORMANCE LEVELS (X = NOT TESTED)

4 4 4 3 D

0-4 0-5 0-4 0-4 A-F P

Impact protection (optional)

Cut resistance according to ISO 13997

Puncture resistance

Tear resistance

Blade cut resistance

Abrasion resistance

EN407 THERMAL RISKS (HEAT AND FIRE)

PERFORMANCE LEVELS (X = NOT TESTED)

X 2 X X X X

0-4 0-4 0-4 0-4 0-4 0-4

Resistance to large quantities of molten metal

Small splashes of molten metal

Radiant heat resistant

Convective heat resistance

Contact heat resistance

Limited flame spread

EN 511:2006 (Cold) COLD HAZARDS

PERFORMANCE LEVELS (X = NOT TESTED)

1 1 1

0-4 0-4 0/1

Water permeability

Contact cold resistance

Convective cold resistance

EN ISO 374-1 CHEMICAL RISKS

TYPE A

A: Methanol
F: Toluene
G: Diethylamine
J: n-Heptane
O: Ammonia 25%
T: Formaldehyde 37%

EN ISO 374-5 MICRO-ORGANISMS

Protection against bacteria and fungi

FOOD CONTACT

French decree of 05/08/2020

PRODUCT DETAILS

Interior finish	Knitted thermal protection
Exterior finish	Embossed texture
Material	Nitrile
Colour.s	White
Length (cm)	45
European sizes	7 9 10
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.6E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	> 3E+13 Ω

LOGISTIC DETAILS

Packaging	1 pair/bag 6 pairs/carton
-----------	------------------------------

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/04/19/1095 updated 01-11/10/2021
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

Edit 11/09/2023

