



Cut protection

KRYTECH 642

Low risk - ISO B



CUT PROTECTION
LEVEL B



4X42B

EN407



X1XXXX

CAT.CATEGORY 2



ISO 13997:
5,7 N

DEXTERITY
EN 420:
5/5



Comfort, Suppleness & breathability without any compromise on cut protection & durability
Can be used with touch devices & touch screen.

SPECIFIC ADVANTAGES



Comfort

- A seamless plaited glove for a maximum comfort, dexterity and flexibility while providing optimal cut protection (Cut level ISO B)



Durability

- Extended use guaranteed by our exclusive process RESICOMFORT. Proven breathability, flexibility and durability of the coating.



Skin protection

- Free of harmful substances: STANDARD 100 by OEKO-TEX®, DMF Free
- Dermatologically approved



Suitable for touchscreen

- Can be used with touch devices & touch screen



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Washability

- Washable 1 time at 40°C without any alteration on performances*.



Practical

- Cut level easy to identify thanks to the marking on the back of the glove.

INDUSTRIES

- Automotive/mechanical industry
- Construction Industry (Carpenters/Joiners)
- Construction Industry (Roofers/Tilers/Glazers)
- Construction Industry (Heating engineers/Plumbers)
- Paper industry

APPLICATIONS

- Handling and sorting small, sharp parts
- Installing steel structures
- Assembly
- Screwing
- Laying tiles, inserts, frames or zinc sheeting
- Handling metal parts
- Handling cardboard and paper



Cut protection

KRYTECH 642

Low risk - ISO B


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT TESTED)




EN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT TESTED)



PRODUCT DETAILS

Interior finish	Seamless textile support from HDPE fibres
Gauge	15
Exterior finish	Reinforced grip
Material	Nitrile foam sandy
Cuff characteristic	Knitted Cuff
Colour.s	Black Grey
European sizes	6 7 8 9 10 11

LOGISTIC DETAILS

Packaging	1 pair/bag 12 pairs/bag 48 pairs/carton
-----------	---

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/10/20/2585
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

