# **SOLO 998**

Latex | Chlorinated

#### Optimal flexibility and dexterity

CHEMICAL PROTECTION

TYPE C

EN ISO 374-1



EN ISO 374-5



CAT.CATEGORY 3



0334

DEXTERITY EN 420:

5/5

### SPECIFIC ADVANTAGES



#### Comfort

Excellent dexterity thanks to flexibility of natural latex



#### **Guaranteed quality**

 Silicone free to prevent traces, defects on metal sheet and glass prior to painting



#### ( Practical

- Easy to put on and take off
- Protection adapted to short duration usage

#### **INDUSTRIES**

- Automotive/mechanical industry
- Health
- Laboratory

### **APPLICATIONS**

- Assembly of small, oil and grease free parts
- Common Tasks in hospitals and clinics
- Manufacturing of medicines
- Pharmaceutical preparation
- Research, analysis, handling of precision parts

Edit 11/09/2023



# **SOLO 998**

Latex | Chlorinated

### LEGENDS

EN ISO 374-1

**CHEMICAL RISKS** 



TYPEC

EN ISO 374-5



MICRO-ORGANISMS

Protection against bacteria and fungi

## PRODUCT DETAILS

Interior finish	Chlorinated
Exterior finish	Smooth with pebbled fingertips
Material	Natural latex
Cuff characteristic	Rolled Cuff
Colour.s	Beige
Length (cm)	30
Thickness (mm)	0.2
European sizes	6789

### LOGISTIC DETAILS

Packaging	100 gloves/box 1000 gloves/carton
	1000 910100/ 0011011

#### LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- $\,$  UE type certificate or CE type examination certificate:  $\,$  0075/014/162/10/18/2080  $\,$
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -



