

JERSETTE 300

Frequent contact | continous wear

Maximum comfort for long-term work in aggressive environments

SPECIFIC ADVANTAGES



Comfort

• Freedom of movement, due to the anatomical shape and excellent comfort from the seamless textile support



Durability

Good tear-resistance



Skin protection

Good resistance to many diluted acids and bases



(💇) Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



INDUSTRIES Local Authorities (Cleaning)

- Aeronautics industry
- Construction Industry (Masons / Plasterers)

APPLICATIONS

- Handling household detergents
- Work with composite materials (resins)
- Preparing and pouring mortar and cement





2131X





KPT



X1XXXX

CAT.CATEGORY 3





JERSETTE 300

Frequent contact | continous wear


LEGENDS

EN388

MECHANICAL HAZARDS



PERFORMANCE LEVELS (X = NOT



FN407

THERMAL RISKS (HEAT AND FIRE)



PERFORMANCE LEVELS (X = NOT TESTED)

<u>X</u>	1		<u>X</u>	<u>X</u>	_X_	<u>X</u>
0-4	1 0-	4	0-4	0-4	0-4	O-4 Resistance to large quantities of molten metal
					Sr	nall splashes of molten metal
			Со			heat resistant at resistance

Contact heat resistance Limited flame spread

EN ISO 374-1



CHEMICAL RISKS

- K: Sodium hydroxide 40% P: Hydrogen peroxide 30%
- T: Formaldehyde 37%

PRODUCT DETAILS

Interior finish	Textile support
Exterior finish	Smooth
Material	Natural latex
Cuff characteristic	Feston Cuff
Colour.s	Blue
Thickness (mm)	1.15
European sizes	5 6 7 8 9 10

LOGISTIC DETAILS

Packaging	1 pair/bag 5 pairs/box
	50 pairs/carton

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation no 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate type examination certificate: 0075/014/162/05/22/0905
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

Edit 11/09/2023

