



Handling protection

ULTRANE 548

Optimal dexterity and sensitivity for light protection



EN388



3121X

CAT.CATEGORY 2



DEXTERITY

EN 420:
5/5

SPECIFIKA FÖRDELAR



Comfort

- Thin glove: excellent tactile sensitivity
- Absorption of perspiration ensured by the cellular structure of the polyurethane. In addition, the particularly open texture of the specific lining helps improve hand ventilation
- Excellent dexterity due to the precise fit



Skin protection

- Contains traces of DMF in compliance with occupational exposure limits



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



Additional benefits

- Available in vending machine packaging

INDUSTRIER

- Automotive/mechanical industry
- Electronics
- Cosmetics and Pharmaceutical industry

APPLIKATIONER

- Cosmetics preparation
- Medicine manufacturing
- Assembly of electrical components
- Microprocessor handling
- Fitting small screws and fasteners
- Intricate assembly
- Sorting small parts



Handling protection

ULTRANE 548

LEGENDER

| EN388 | | MECHANICAL HAZARDS | |
|-------------------------------------|----------|--------------------|---------------------------------------|
| | | | |
| PERFORMANCE LEVELS (X = NOT TESTED) | | | |
| 3 | 1 | 2 | 1 X |
| 0-4 | 0-5 | 0-4 | 0-4 A-F P |
| | | | Impact protection (optional) |
| | | | Cut resistance according to ISO 13997 |
| | | | Puncture resistance |
| | | | Tear resistance |
| | | | Blade cut resistance |
| | | | Abrasion resistance |

PRODUKTINFORMATION

| | |
|---|--------------------------|
| Interior finish | Seamless textile support |
| Gauge | 13 |
| Exterior finish | Ventilated back |
| Material | Polyurethane foam |
| Cuff characteristic | Knitted Cuff |
| Colour.s | Black |
| European sizes | 5 6 7 8 9 10 11 |
| Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity) | 1.8E+10 Ω |
| Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity) | 1.2E+9 Ω |

LOGISTISKA DETALJER

| | |
|-----------|---|
| Packaging | 1 pair/bag 12 pairs/bag 96 pairs/carton |
|-----------|---|

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/03/20/0654
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

Redigera 30/06/2023