



Handling protection

ULTRANE 551

Unbeatable for fingertip precision



SPECIFIKA FÖRDELAR



Comfort

- Great dexterity, due to the gloves reduced thickness
- Added comfort, due to the seamless knit lining Absorption of perspiration ensured by the cellular structure of the polyurethane



Durability

- Suitable for long-term wear : excellent abrasion resistance



Skin protection

- Free of harmful substances: STANDARD 100 by OEKO-TEX®
- Contains traces of DMF in compliance with occupational exposure limits



Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting

INDUSTRIER

- Automotive/mechanical industry
- Electronics
- Food industry
- Construction Industry (Carpenters/Joiners)
- Construction Industry (Heating engineers/Plumbers)
- Construction Industry (Metalworkers/Locksmiths)
- Cosmetics and Pharmaceutical industry

APPLIKATIONER

- Cosmetics preparation
- Medicine manufacturing
- Laying wood, panelling or moulding
- Maintaining pipes, heating equipment
- Packaging
- Electronic component assembly (displays, LEDs, etc.)
- High-frequency antennae riveting
- Microprocessor handling
- Installing and repairing locks
- Fitting small screws and fasteners

EN388



4131X

CAT.CATEGORY 2



DEXTERITY

EN 420:
5/5



STANDARD
100

CQ 979/2
IFTH

Redigera 30/06/2023

MAPA SAS capital de 35.000.010 €
420, rue d'Estienne d'Orves
92705 Colombes Cedex France
RCS Nanterre 314 307 720

mapa-pro.com

MAPA
PROFESSIONAL



Handling protection

ULTRANE 551

LEGENDER

EN388		MECHANICAL HAZARDS	
		PERFORMANCE LEVELS (X = NOT TESTED)	
4	1	3	1 X
0-4	0-5	0-4	0-4 A-F P
			Impact protection (optional)
			Cut resistance according to ISO 13997
			Puncture resistance
			Tear resistance
			Blade cut resistance
			Abrasion resistance

PRODUKTINFORMATION

Interior finish	Seamless textile support
Gauge	13
Exterior finish	Ventilated back
Material	Polyurethane foam
Cuff characteristic	Knitted Cuff
Colour.s	Grey
European sizes	5 6 7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.3E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	6.3E+9 Ω

LOGISTISKA DETALJER

Packaging	1 pair/bag 10 pairs/bag 100 pairs/carton
-----------	--

LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/05/18/0966
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

Redigera 30/06/2023