



Cut protection

# KRYTECH 586

High risk - ISO D

High-performance protection for intricate handling in reasonably clean environments



SKÄRSKYDD  
NIVÅ D

EN388



4X43D

CAT.CATEGORY 2



DEXTERITY

EN 420:  
5/5

ISO 13997:

18.6 N

## SPECIFIKA FÖRDELAR



### Cut protection

- Optimal cut resistance



### Comfort

- Excellent dexterity due to the precise fit
- Added comfort and flexibility



### Skin protection

- Contains traces of DMF in compliance with occupational exposure limits



### Guaranteed quality

- Silicone free to prevent traces, defects on metal sheet and glass prior to painting



### Washability

- Washable up to 3 times at 60°C without any alteration on performances\* allowing to extend glove lifespan, reduce costs and waste.



### Practical

- A visible indicator in blue textile to easily identify the cut-performance level in the workplace Washable until 3 cleaning cycles (see laundering and drying conditions)

## INDUSTRIER

- Automotive/mechanical industry
- Local Authorities (Technical Maintenance)
- Construction Industry (Roofers/Tilers/Glazers)
- Plastics industry

## APPLIKATIONER

- Post-injection material removal
- Maintenance work with risk of cuts
- Handling and fitting windows
- Assembly of thin metal sheets
- Finishing sharp parts
- Handling metal parts



Cut protection

# KRYTECH 586

High risk - ISO D

## LEGENDER

EN388		MECHANICAL HAZARDS	
PERFORMANCE LEVELS (X = NOT TESTED)			
4	X	4	3 D
0-4	0-5	0-4	0-4 A-F P
Impact protection (optional)			
Cut resistance according to ISO 13997			
Puncture resistance			
Tear resistance			
Blade cut resistance			
Abrasion resistance			

## PRODUKTINFORMATION

Interior finish	Seamless textile support from HDPE fibres
Gauge	13
Exterior finish	Ventilated back
Material	Polyurethane
Cuff characteristic	Knitted Cuff
Colour.s	Grey Blue
European sizes	6 7 8 9 10 11
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.3E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	1.5E+10 Ω

## LOGISTISKA DETALJER

Packaging	1 pair/bag 12 pairs/bag 48 pairs/carton
-----------	---

## LEGISLATION

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation n° 1907/2006 of the European Parliament and of the Council (REACH).
- UE type certificate or CE type examination certificate: 0075/014/162/01/19/0209
- Issued by the notified body nr: 0075 CTC - 4, rue Hermann Frenkel - 69367 Lyon Cedex 07- FRANCE

\* Testerna utfördes med oanvända handskar (dvs. i nytt tillstånd) vilket skiljer sig från verkligheten ute på fältet.

Redigera 30/06/2023